



LAVATORY FAUCETS



**One-Handle
Bathroom Faucet**
S44101 † ♿



**Two-Handle Widespread
Bathroom Faucet**
TS44102 * † ♿



**Two-Handle Wallmount
Bathroom Faucet**
TS44104 * † ♿



**Two-Handle Widespread
Bathroom Faucet**
TS44103 * † ♿



**Two-Handle Wallmount
Bathroom Faucet**
TS44105 * † ♿



TUB FILLER



Freestanding Tub Filler
S44507  

ROMAN TUB FAUCETS



**Two-Handle Roman
Tub Trim**
TS44503 *  



**Two-Handle Roman
Tub Trim**
TS44505 * 



**Two-Handle Roman Tub Trim
with Handshower**
TS44504 *  



**Two-Handle Roman Tub Trim
with Handshower**
TS44506 * 



EXACTTEMP® ¾"



ExactTemp Valve Trim
TS44401 *



ExactTemp Volume Control Trim
TS44402 *

For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim
UTS9381 *



M-CORE 3S with Integrated Transfer Valve Trim
TS9211 *

Use with valve 3362 only

POSI-TEMP®



Posi-Temp Valve Only Trim
TS44201 *

M-CORE™ 3-SERIES



M-CORE 3S Tub/Shower Trim
UTS344303 *
UTS344303EP *



M-CORE 3S Shower Only Trim
UTS344302 *
UTS344302EP *



M-CORE 3S Valve Only Trim
UTS344301 *



MATCHING ACCESSORIES



Tank Lever
YB0501



Drawer Knob
YB0505



Towel Ring
YB0586



Double Robe Hook
YB0503



Drawer Pull
YB0507



18" Towel Bar
YB0518



Pivoting Paper Holder
YB0508 (P)

24" Towel Bar
YB0524



MATCHING ACCESSORIES



One Globe Bath Light
YB0561



Three Globe Bath Light
YB0563



Two Globe Bath Light
YB0562



Four Globe Bath Light
YB0564

COLINET® FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG)**, Matte Black **(BL)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ☒ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- ☒ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.