Double Flute Straight Bits

USE IN

Table Router

Hand Router

CNC

APPLICATION

Precise shear and hook angles for smooth finishes and end of bit relief for fast plunging in general stock removal

ECLIPSE GRIND

Freud's Eclipse Grind™ provides optimal chip clearance for less build-up; extending the life of the bit while allowing for 2x resharpenings

MATERIALS

Hardwood

Softwood

Plywood

OSB

Laminate



Double Flute

ITEM NUMBER	OVERALL DIA.	CARBIDE HEIGHT	SHANK DIA.	OVERALL LENGTH
04-096**	1/16"	1/4"	1/4"	1-5/8"
04-098**	3/32"	3/8"	1/4"	1-5/16"
04-100**	1/8"	3/8"	1/4"	1-3/4"
04-101**	5/32"	5/8"	1/4"	1-1/2"
04-102**	3/16"	1/2"	1/4"	2"
04-103**	3/16"	5/8"	1/4"	2"
04-104**	1/4"	1/2"	1/4"	2"
04-105**	1/4"	5/8"	1/4"	2"
04-106**	1/4"	3/4"	1/4"	2-1/4"
04-107**	1/4"	7/8"	1/4"	2-1/4"
04-108**	1/4"	1"	1/4"	2-1/2"
04-109**	1/4"	7/8"	1/4"	2-7/8"
04-110**	1/4"	1"	1/4"	2-7/8"
04-112*	9/32"	1"	1/4"	2"
04-118*	5/16"	1"	1/4"	2-1/2"
04-120*	3/8"	7/8"	1/4"	1-7/8"
04-124*	3/8"	1"	1/4"	2-1/2"
04-126*	3/8"	1-1/4"	1/4"	2-11/16"
04-129*	7/16"	1"	1/4"	2-1/2"
04-130*	1/2"	3/4"	1/4"	2-1/4"
04-131*	1/2"	7/8"	1/4"	1-7/8"
04-132*	1/2"	1"	1/4"	2-1/8"
04-133*	1/2"	1-1/4"	1/4"	2-3/4"
04-134*	9/16"	3/4"	1/4"	2-1/8"
04-136*	5/8"	3/4"	1/4"	2-1/8"
04-137*	5/8"	1-1/4"	1/4"	2-3/4"
04-138*	11/16"	3/4"	1/4"	2-1/8"
04-140*	3/4"	3/4"	1/4"	2-1/8"
04-144*	1-13/16"	3/4"	1/4"	2"
04-148*	7/8"	3/4"	1/4"	2"
04-152*	1"	3/4"	1/4"	2"
04-156*	1"	1-1/8"	1/4"	2-9/16"
08-106	1/4"	3/4"	3/8"	2"
08-124	3/8"	1"	3/8"	2-1/4"
08-132	1/2"	1"	3/8"	2-1/2"
08-136	5/8"	1"	3/8"	2-1/4"
08-152	3/4"	1"	3/8"	2-1/4"
12-096*	15/64"	3/4"	1/2"	2-13/32"
12-100*	1/4"	3/4"	1/2"	2-3/8"
12-102*	1/4"	7/8"	1/2"	2-7/8"
12-106*	5/16"	1"	1/2"	2-3/4"
12-108*	3/8"	1"	1/2"	2-5/8"
12-110*	3/8"	1-1/4"	1/2"	2-7/8"
12-112***	13/32"	1"	1/2"	2-5/8"
12-113*	7/16"	1-1/4"	1/2"	3-1/4"
12-115*	7/8"	1-1/4"	1/2"	2-3/4"
12-116*	1/2"	1"	1/2"	2-5/8"
12-118*	1/2"	1-1/4"	1/2"	2-7/8"
12-122*	1/2"	1-1/2"	1/2"	3-1/8"
12-124*	1/2"	1-1/2"	1/2"	4-1/4"
12-128*	1/2"	2"	1/2"	4-1/8"
12-130*	1/2"	2-1/2"	1/2"	4-3/8"
12-134*	9/16"	1-1/4"	1/2"	2-7/8"
12-136*	5/8"	1"	1/2"	2-1/2"
12-138*	5/8"	1-1/4"	1/2"	2-1/2"

* Solid Carbide
* Eclipse Grind

** For use with Porter-Cable® Dovetail Jig #4212
Red Item Numbers Indicate 1/2" Shank

All Profile Drawings 1:1 Scale

Double Flute Straight Bits



ITEM NUMBER	OVERALL DIA.	CARBIDE HEIGHT	SHANK DIA.	OVERALL LENGTH
12-140*	5/8"	1-1/2"	1/2"	3"
12-142*	5/8"	2"	1/2"	4"
12-148*	11/16"	1-1/4"	1/2"	3"
12-152*	3/4"	1"	1/2"	2-1/2"
12-154*	3/4"	1-1/4"	1/2"	3"
12-156*	3/4"	1-1/2"	1/2"	3"
12-158*	3/4"	2"	1/2"	3-1/2"
12-162*	13/16"	1-1/4"	1/2"	3"
12-168*	7/8"	1-1/4"	1/2"	3"
12-172*	1"	1-1/4"	1/2"	3"
12-178*	1-1/8"	1-1/2"	1/2"	3"
12-182*	1-1/4"	1-1/2"	1/2"	2-7/8"
12-186*	1-3/8"	1-1/4"	1/2"	3"
12-190*	1-1/2"	1-1/4"	1/2"	3"
12-194*	1-3/4"	1-1/4"	1/2"	3"
Undersized Plywood Bits				
04-111**	7/32"	3/4"	1/4"	2"
04-127*	15/32"	3/4"	1/4"	2"
04-128*	15/32"	7/8"	1/4"	2-3/8"
12-114*	15/32"	1-1/4"	1/2"	2-7/8"
12-135*	19/32"	1-1/4"	1/2"	2-7/8"
12-150*	23/32"	1-1/4"	1/2"	2-7/8"
Metric Version				
04-502**	2mm	5/32"	1/4"	1-1/2"
04-508**	3mm	5/16"	1/4"	1-3/4"
04-512**	5mm	15/32"	1/4"	2"
04-520*	10mm	1-1/4"	1/4"	2-3/8"
04-528*	12mm	1-1/4"	1/4"	2-3/8"
04-532*	15mm	3/4"	1/4"	2-1/4"
04-536*	15mm	1-1/4"	1/4"	2-5/8"
04-540*	16mm	3/4"	1/4"	2-1/4"
04-544*	16mm	1-1/4"	1/4"	2-5/8"
04-548*	18mm	3/4"	1/4"	2"
04-552*	20mm	3/4"	1/4"	2"
12-520*	10mm	1-1/4"	1/2"	2-3/4"
12-530*	12mm	1-1/4"	1/2"	2-3/4"
12-544*	16mm	1-1/4"	1/2"	2-3/4"



04-096



04-098



04-100



04-101



04-102



04-103

* Solid Carbide
* Eclipse Grind

** For use with Porter-Cable® Dovetail Jig #4212
Red Item Numbers Indicate 1/2" Shank

All Profile Drawings 1:1 Scale

USE IN

Table Router

Hand Router

CNC

APPLICATION

Precise shear and hook angles for smooth finishes and end of bit relief for fast plunging in general stock removal

Freud's Eclipse Grind™ provides optimal chip clearance for less build-up; extending the life of the bit while allowing for 2x resharpenings

MATERIALS

Hardwood Softwood Plywood


OSB Laminate



Double Flute

USE IN

Table Router

Hand Router

CNC

APPLICATION

Precise shear and hook angles for smooth finishes and end of bit relief for fast plunging in general stock removal

ECLIPSE GRIND

Freud's Eclipse Grind™ provides optimal chip clearance for less build-up; extending the life of the bit while allowing for 2x resharpenings

MATERIALS

Hardwood

Softwood

Plywood

OSB

Laminate



Double Flute

Double Flute Straight Bits

CONTINUED



04-104



04-105



04-106 / 08-106 / 12-100



04-107 / 04-109 / 12-102



04-108 / 04-110



04-112



04-118 / 12-106



04-120



04-124 / 08-124 / 12-108



04-126 / 12-110



04-129



04-130



04-131



04-132 / 08-132 / 12-116



04-133 / 12-118

* Solid Carbide

Red Item Numbers Indicate 1/2" Shank

All Profile Drawings 1:1 Scale

Double Flute Straight Bits



CONTINUED



04-134



04-136



04-137 / **12-138**



04-138



04-140



04-144



04-148



04-152



04-156



08-136 / **12-136**



08-152 / **12-152**



12-096

* Solid Carbide

Red Item Numbers Indicate 1/2" Shank

All Profile Drawings 1:1 Scale

USE IN

Table Router

Hand Router

CNC

APPLICATION

Precise shear and hook angles for smooth finishes and end of bit relief for fast plunging in general stock removal

ECLIPSE GRIND

Freud's Eclipse Grind™ provides optimal chip clearance for less build-up; extending the life of the bit while allowing for 2x resharpenings

MATERIALS

Hardwood Softwood Plywood



OSB Laminate



Double Flute

ROUTER BITS

USE IN

Table Router

Hand Router

CNC

APPLICATION

Precise shear and hook angles for smooth finishes and end of bit relief for fast plunging in general stock removal

ECLIPSE GRIND

Freud's Eclipse Grind™ provides optimal chip clearance for less build-up; extending the life of the bit while allowing for 2x resharpenings

MATERIALS

Hardwood

Softwood

Plywood

OSB

Laminate



Double Flute

Double Flute Straight Bits

CONTINUED



12-112



12-113



12-115 / 12-168



12-122 / 12-124



12-128



12-130



12-134



12-140



12-142

* Solid Carbide

Red Item Numbers Indicate 1/2" Shank

All Profile Drawings 1:1 Scale