



SURFACE MOUNT QUASAR ELECTRONIC BOTTLE FILLER, NON-REFRIGERATED, DUAL FILTRATION **MODEL PWSMF2EBO**

Suggested Specification

VersaFiller alcove and cabinet shall be stainless steel. Key VersaFiller components contain Freshield®, which utilizes a silver-based antimicrobial compound to protect the surfaces from discoloration, odors and degradation caused by the growth of micro-organisms and mildew. Shall be surface mount in design. Unit shall include filter monitor and bottle counter.

QUASAR bottle filler shall have UV-C LED treatment at the dispense point, which disinfects the water while it is being dispensed. UV-C LED also cycles on periodically to keep the dispense point sanitized between dispenses.

Shall be listed by Underwriters Laboratories to US and Canadian standards. Shall comply with NSF/ANSI 61 and NSF/ANSI 372.

Features:	<ul style="list-style-type: none"> Contactless QUASAR with mercury-free UV-C LED treatment at the dispense point Built-in 100 micron strainer stops particles before they enter the waterway Waterways are lead-free in materials & construction Heavy duty galvanized steel frame
	<ul style="list-style-type: none"> Contactless activation bottle filler with programmable auto shut off Filters located in bottle filler Built-in filter monitor and bottle counter Logos permanently formed into the alcove and stainless steel wrapper LED lighted alcove Surface mount frame assembly
	<p>VersaFilter III is Certified to NSF/ANSI 42 and 53 for lead, cyst, Particulate Class I, chlorine, taste, odor and microplastics reduction to 4,750 gallons and Remedi Filter.</p>
	<p>Power: 115 Volts, 60 Hz</p>
	<p>Activation By: Contactless Sensor</p>
	<p>Mounting Type: Wall Mounted</p>
	<p>Chilling Option: Non-refrigerated</p>
	<p>Full Load Amps 0.4 amps</p>
	<p>Rated Watts 20</p>
<p>Approx. Net Weight 20 lbs</p>	
<p>Installation Location: Indoor</p>	

Note: Chiller units sold for these models must be remotely located, as they do not fit into the housing of the unit, or inside the wall cavity of a typical stud wall.



Ships in one box.

Installation

- Prior to rough-in consult with local, state, and federal codes for proper mounting height.
- Surface mount frame included, but water supply and drain required
- Shipped with complete instructions and wall mounting brackets.

Finishes

- Standard cabinet finish: Stainless steel

Limited 1-Year Warranty

(Continental limits of the United States and Canada)

One year on bottle fillers and electrical components. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Certifications/Compliance

- Certified to UL 399 and CAN/CSA C22.2 No.120 (electric water coolers only)
- Product Certified to NSF/ANSI Standard 61-G & 372 and conforms with the lead content requirements for "Lead Free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act
- These water coolers comply with the requirements of ADA (Americans with Disabilities Act) when properly installed

MODEL: _____ QTY: _____

PROJECT: _____

CONTACT: _____

NOTES: _____

APPROVAL: _____ DATE: _____



WARNING:

Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Specifications subject to change without notice



SURFACE MOUNT QUASAR ELECTRONIC BOTTLE FILLER,
NON-REFRIGERATED, DUAL FILTRATION
MODEL PWSMF2EBQ

Accessories



Oasis VersaFilter III Replacement Cartridge

OASIS Item #041145-001

- Certified to NSF/ANSI 42, 53 and 401 for lead, Particulate Class I, chlorine, taste, odor and microplastics reduction to 4,750 gallons.



Oasis Remedi Replacement Cartridge

OASIS Item #037406-101

- Remedi filter utilizes the principle of electro-adhesion, capable of removing a wide range of water borne contaminants including bacteria, cysts, viruses and some heavy metals.



Remote Chiller

R5 Chiller, OASIS Item # 502990

R8 Chiller, OASIS Item # 502991


R12 Chiller, OASIS Item # 502993



[View all filters and accessories](#)



SURFACE MOUNT QUASAR ELECTRONIC BOTTLE FILLER,
NON-REFRIGERATED, DUAL FILTRATION
MODEL PWSMF2EBO



NOTES:

1. RECOMMENDED ADULT HEIGHT INSTALLATION SHOWN. ADJUST VERTICAL DIMENSIONS AS REQUIRED TO COMPLY WITH FEDERAL, STATE AND LOCAL CODES.
2. 3/8" O.D. WATER INLET WITH STRAINER PROVIDED.
3. STOP VALVE, TRAP, PIPE CONNECTOR TO WASTE LINE AND 5/8" COMPRESSION FITTING NOT PROVIDED.
4. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.

