




**Manufactured from Swanstone solid surface**  
(See page 2 for detailed information.)

**WARRANTY**  
Limited Lifetime – Residential  
Limited 25-year – Commercial

*Recommended for high-use traffic areas and commercial surfaces.*

**FEATURES**

- Classic look of 3 x 6-inch subway tile provides timeless elegance for your bath.
- No grout to maintain; will not mold or mildew.
- Ideal for remodeling; easier to install than tile—panels glue up over existing surface.
- Coordinates with other Swanstone bath products.
- Heat resistant—walls can handle steamer units.
- Compression molding means superior durability.



**Model STMK 72-3636**

Designed to fit base areas  
36" deep or smaller x 36" wide x 72" high

**SPECIFICATIONS**

**STMK72-3636 Swanstone Subway Tile Shower Wall Kit**

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship FedEx	Carton Dims. In.	Cu. Ft.
STMK72-3636	STMK723636	36"D* x 36"W x 72-1/2"H (914 mm x 914 mm x 1829 mm) (*or smaller)	192	-	42 X 4 x 78	7.6

Kit Includes: Two side panels, one back panel, two corner soap dishes and color coordinated silicone.

Packaging: Each kit is packed in an individual carton.

**ACCESSORIES**

See pages 59-60 for complete listing of all wall accessories.

**STANDARDS AND RATINGS**

American Society of Testing and Materials (ASTM) E-84: Class A Flame Spread Rating  
American National Standard Institute—ANSI Z124.6

International Association of Plumbing and Mechanical Officials (IAPMO)—Listed  
cUPC listed—Certified to CSA Test Standard B45.5 by IAPMO

Uniform Plumbing Code (UPC)

For a complete list of tests and results see the Technical Data Sheet.

**SUPPORT DOCUMENTS**

Installation instructions available at [swanstone.com](http://swanstone.com).



**COLORS**

(See inside back cover for color sample.)

**Solid Colors:**

- White (010)
- Bone (037)
- Bisque (018)
- Bright White (137)
- Pearl (138)

**Aggregate Colors:**

- Acorn (123) 🍂
- Almond Galaxy (046)
- Arctic Granite (035)
- Baby's Breath (168)
- Barley (091)
- Bermuda Sand (040)
- Canyon (124) 🍂
- Caraway Seed (169)
- Cloud Bone (126)
- Cloud White (125)
- Cornflower (063)
- Glacier (121) 🍂

- Golden Steppe (128)
- Gray Granite (042)
- Ice (130)
- Indian Grass (071)
- Mountain Haze (129)
- Night Sky (012)
- Pebble (072)
- Prairie (122) 🍂
- Sierra (094)
- Tahiti Desert (050)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Tundra (131)
- Winter Wheat (060)

**MAINTENANCE AND CLEANING INFORMATION**

Clean regularly with common household liquid cleaners and rinse within five minutes of application. Occasional scrubbing with abrasive cleaners ensures that the original luster will be maintained. **Do not** use "leave on" cleaning products, such as automatic spray shower cleaners. Prolonged contact with harsh chemicals could have an adverse reaction over time and discolor surfaces. **Do not** use cleaning agents that caution use on acrylic, polyester or plastics.

**WARRANTY**


Limited Lifetime – Residential  
 Limited 25-year – Commercial

**Manufactured from Swanstone solid surface**  
 (See page 2 for detailed information.)

*Recommended for high-use traffic areas and commercial surfaces.*

**FEATURES**

- Classic look of 3 x 6-inch subway tile provides timeless elegance for your bath.
- No grout to maintain; will not mold or mildew.
- Ideal for remodeling; easier to install than tile—panels glue up over existing surface.
- Coordinates with other Swanstone bath products.
- Heat resistant—walls can handle steamer units.
- Compression molding means superior durability.



**Model STMK 72-3648**

Designed to fit base areas  
 36" deep or smaller x 48" wide x 72" high

**SPECIFICATIONS**
**STMK72-3648 Swanstone Subway Tile Shower Wall Kit**

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship FedEx	Carton Dims. In.	Cu. Ft.
STMK72-3648	STMK723648	36"D* x 48"W x 72-1/2"H (914 mm x 1219 mm x 1829 mm) (*or smaller)	144	-	54 x 4 x 78	9.6

Kit Includes: Two side panels, one back panel, two corner soap dishes and color coordinated silicone.

Packaging: Each kit is packed in an individual carton.

**ACCESSORIES**

See pages 59-60 for complete listing of all wall accessories.

**STANDARDS AND RATINGS**

American Society of Testing and Materials (ASTM) E-84: Class A Flame Spread Rating  
 American National Standard Institute—ANSI Z124.6

International Association of Plumbing and Mechanical Officials (IAPMO)—Listed  
 cUPC listed—Certified to CSA Test Standard B45.5 by IAPMO  
 Uniform Plumbing Code (UPC)

For a complete list of tests and results see the Technical Data Sheet.

**SUPPORT DOCUMENTS**

Installation instructions available at [swanstone.com](http://swanstone.com).

 **MADE IN USA**

**COLORS**

(See inside back cover for color sample.)

**Solid Colors:**

- White (010)
- Bone (037)
- Bisque (018)
- Bright White (137)
- Pearl (138)

**Aggregate Colors:**

- Acorn (123) 🍂
- Almond Galaxy (046)
- Arctic Granite (035)
- Baby's Breath (168)
- Barley (091)
- Bermuda Sand (040)
- Canyon (124) 🍂
- Caraway Seed (169)
- Cloud Bone (126)
- Cloud White (125)
- Cornflower (063)
- Glacier (121) 🍂

- Golden Steppe (128)
- Gray Granite (042)
- Ice (130)
- Indian Grass (071)
- Mountain Haze (129)
- Night Sky (012)
- Pebble (072)
- Prairie (122) 🍂
- Sierra (094)
- Tahiti Desert (050)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Tundra (131)
- Winter Wheat (060)

**MAINTENANCE AND  
 CLEANING INFORMATION**

Clean regularly with common household liquid cleaners and rinse within five minutes of application. Occasional scrubbing with abrasive cleaners ensures that the original luster will be maintained. **Do not** use "leave on" cleaning products, such as automatic spray shower cleaners. Prolonged contact with harsh chemicals could have an adverse reaction over time and discolor surfaces. **Do not** use cleaning agents that caution use on acrylic, polyester or plastics.




**Manufactured from Swanstone solid surface**  
(see page 2 for detailed information.)

**WARRANTY**  
Limited Lifetime – Residential  
Limited 25-year – Commercial

*Recommended for high-use traffic areas and commercial surfaces.*

**FEATURES**

- Classic look of 3 x 6-inch subway tile provides timeless elegance for your bath.
- No grout to maintain; will not mold or mildew.
- Ideal for remodeling; easier to install than tile—panels glue up over existing surface.
- Coordinates with other Swanstone bath products.
- Heat resistant—walls can handle steamer units.
- Compression molding means superior durability.



**Model STMK 72-3662**

Designed to fit base areas  
36" deep or smaller x 62" wide x 72" high

**SPECIFICATIONS**

**STMK72-3662 Swanstone Subway Tile Shower Wall Kit**

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship FedEx	Carton Dims. In.	Cu. Ft.
STMK72-3662	STMK723662	36"D* x 62"W x 72-1/2"H 236 (914 mm x 1575 mm x 1829 mm) (*or smaller)	236	-	68 x 4 x 78	12.3

Kit Includes: Two side panels, one back panel, two corner soap dishes and color coordinated silicone.

Packaging: Each kit is packed in an individual carton.

**ACCESSORIES**

See pages 59-60 for complete listing of all wall accessories.

**STANDARDS AND RATINGS**

American Society of Testing and Materials (ASTM) E-84: Class A Flame Spread Rating  
American National Standard Institute—ANSI Z124.6

International Association of Plumbing and Mechanical Officials (IAPMO)—Listed  
cUPC listed—Certified to CSA Test Standard B45.5 by IAPMO  
Uniform Plumbing Code (UPC)

For a complete list of tests and results see the Technical Data Sheet.

**SUPPORT DOCUMENTS**

Installation instructions available at [swanstone.com](http://swanstone.com).



**COLORS**

(See inside back cover for color sample.)

**Solid Colors:**

- White (010)
- Bone (037)
- Bisque (018)
- Bright White (137)
- Pearl (138)

**Aggregate Colors:**

- Acorn (123) 🍂
- Almond Galaxy (046)
- Arctic Granite (035)
- Baby's Breath (168)
- Barley (091)
- Bermuda Sand (040)
- Canyon (124) 🍂
- Caraway Seed (169)
- Cloud Bone (126)
- Cloud White (125)
- Cornflower (063)
- Glacier (121) 🍂

- Golden Steppe (128)
- Gray Granite (042)
- Ice (130)
- Indian Grass (071)
- Mountain Haze (129)
- Night Sky (012)
- Pebble (072)
- Prairie (122) 🍂
- Sierra (094)
- Tahiti Desert (050)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Tundra (131)
- Winter Wheat (060)

**MAINTENANCE AND CLEANING INFORMATION**

Clean regularly with common household liquid cleaners and rinse within five minutes of application. Occasional scrubbing with abrasive cleaners ensures that the original luster will be maintained. **Do not** use "leave on" cleaning products, such as automatic spray shower cleaners. Prolonged contact with harsh chemicals could have an adverse reaction over time and discolor surfaces. **Do not** use cleaning agents that caution use on acrylic, polyester or plastics.




**WARRANTY**  
 Limited Lifetime – Residential  
 Limited 25-year – Commercial

**Manufactured from Swanstone solid surface**  
 (See page 2 for detailed information.)

*Recommended for high-use traffic areas and commercial surfaces.*

**FEATURES**

- Classic look of 3 x 6-inch subway tile provides timeless elegance for your bath.
- No grout to maintain; will not mold or mildew.
- Ideal for remodeling; easier to install than tile—panels glue up over existing surface.
- Coordinates with other Swanstone bath products.
- Heat resistant—walls can handle steamer units.
- Compression molding means superior durability.



**Model STMK 72-4848**

Designed to fit base areas  
 48" deep or smaller x 48" wide x 72" high

**SPECIFICATIONS**

**STMK72-4848 Swanstone Subway Tile Shower Wall Kit**

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship FedEx	Carton Dims. In.	Cu. Ft.
STMK72-4848	STMK724848	48" D* x 48" W x 72-1/2" H (1219 mm x 1219 mm x 1829 mm) (*or smaller)	258	-	54 x 4 x 78	9.6

Kit Includes: Two side panels, one back panel, two corner soap dishes and color coordinated silicone.

Packaging: Each kit is packed in an individual carton.

**ACCESSORIES**

See pages 59-60 for complete listing of all wall accessories.

**STANDARDS AND RATINGS**

American Society of Testing and Materials (ASTM) E-84: Class A Flame Spread Rating  
 American National Standard Institute—ANSI Z124.6

International Association of Plumbing and Mechanical Officials (IAPMO)—Listed  
 cUPC listed—Certified to CSA Test Standard B45.5 by IAPMO

Uniform Plumbing Code (UPC)

For a complete list of tests and results see the Technical Data Sheet.

**SUPPORT DOCUMENTS**

Installation instructions available at [swanstone.com](http://swanstone.com).

**MADE IN USA**

**COLORS**

(See inside back cover for color sample.)

**Solid Colors:**

- White (010)
- Bone (037)
- Bisque (018)
- Bright White (137)
- Pearl (138)

**Aggregate Colors:**

- Acorn (123) 🍂
- Almond Galaxy (046)
- Arctic Granite (035)
- Baby's Breath (168)
- Barley (091)
- Bermuda Sand (040)
- Canyon (124) 🍂
- Caraway Seed (169)
- Cloud Bone (126)
- Cloud White (125)
- Cornflower (063)
- Glacier (121) 🍂

- Golden Steppe (128)
- Gray Granite (042)
- Ice (130)
- Indian Grass (071)
- Mountain Haze (129)
- Night Sky (012)
- Pebble (072)
- Prairie (122) 🍂
- Sierra (094)
- Tahiti Desert (050)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Tundra (131)
- Winter Wheat (060)

**MAINTENANCE AND CLEANING INFORMATION**

Clean regularly with common household liquid cleaners and rinse within five minutes of application. Occasional scrubbing with abrasive cleaners ensures that the original luster will be maintained. **Do not** use "leave on" cleaning products, such as automatic spray shower cleaners. Prolonged contact with harsh chemicals could have an adverse reaction over time and discolor surfaces. **Do not** use cleaning agents that caution use on acrylic, polyester or plastics.